

REVLIMID® ▼ (lenalidomide) Prescription Authorisation Form (PAF)

A newly completed copy of this form **MUST** accompany **EVERY** lenalidomide prescription. Completion of this information is mandatory for **ALL** patients.

Name of treating Hospital														
Patient Date of Birth	D	D	M	M	Y	Y	Y	Y	Patient ID Number/Initials					
Prescriber: (print)														
Supervising physician: (print)														
Indication: (tick)	Multiple Myeloma	<input type="checkbox"/>												
Line of therapy (please specify):	1st	<input type="checkbox"/>	2nd	<input type="checkbox"/>	3rd	<input type="checkbox"/>	4th+	<input type="checkbox"/>						
Myelodysplastic Syndromes with isolated del5q cytogenetic abnormality:	<input type="checkbox"/>													
Low-	<input type="checkbox"/>	or intermediate-1 risk	<input type="checkbox"/>											
Mantle Cell Lymphoma relapsed and/or refractory	<input type="checkbox"/>	Follicular Lymphoma	<input type="checkbox"/>											
Other	<input type="checkbox"/>	If other please specify:												
Capsule strength prescribed: (tick)	2.5mg	<input type="checkbox"/>	5mg	<input type="checkbox"/>	7.5mg	<input type="checkbox"/>	10mg	<input type="checkbox"/>	15mg	<input type="checkbox"/>	20mg	<input type="checkbox"/>	25mg	<input type="checkbox"/>
Quantity of Capsules per cycle prescribed.*														
Number of cycle(s) prescribed	1	<input type="checkbox"/>	2	<input type="checkbox"/>	3	<input type="checkbox"/>								
Total number of Capsules														

* Do NOT enter number of Packs

Woman of non-childbearing potential (maximum 12-week supply)	TICK	<input type="checkbox"/>
Male (maximum 12-week supply)	TICK	<input type="checkbox"/>
The patient has been counselled about the teratogenic risk of treatment with lenalidomide and understands the need to use a condom if involved in sexual activity with a woman of childbearing potential not using effective contraception or if their partner is pregnant (even if the patient has had a vasectomy).	Y	N

Note to pharmacist – Do not dispense unless ticked and, for a male, Y selected

Woman of childbearing potential (maximum 4 weeks prescription only)	TICK	<input type="checkbox"/>
The patient has been counselled about the teratogenic risk of treatment, the need to avoid pregnancy, and has been on effective contraception for at least 4 weeks or committed to absolute and continuous abstinence confirmed on a monthly basis.	Y	N
Date of last negative pregnancy test	D D M M Y Y Y Y	

Note to pharmacist – Do not dispense lenalidomide unless negative pregnancy test was conducted within 3 days of the prescription date and dispensing is taking place within 7 days of the prescription date

A copy of every completed PAF should be sent to Bristol-Myers Squibb (BMS) immediately after dispensing via email to: paf.uk.ire@bms.com, or fax to: 0808 100 9910

Date faxed to BMS	D	D	M	M	Y	Y	Y	Y	Faxed by (Name)							
-------------------	---	---	---	---	---	---	---	---	-----------------	--	--	--	--	--	--	--

Both signatures must be present prior to dispensing lenalidomide

Prescriber's declaration

As the Prescriber, I have read and understood the Healthcare Professionals' Information Pack. I confirm the information provided on this PAF is accurate, complete and in accordance with the requirements of the PPP for lenalidomide. I confirm treatment has been initiated and is monitored under the supervision of a physician experienced in managing immunomodulatory drugs.

Sign	Date	D	D	M	M	Y	Y	Y	Y
	Bleep								
Print									

Note to pharmacist – Every prescription must be accompanied by an accurately completed PAF

Pharmacist's declaration

I am satisfied that this REVLIMID PAF has been completed fully and that I have read and understood the REVLIMID Healthcare Professionals' Information Pack.

For woman of childbearing potential, dispensing will be taking place within 7 days of the date of prescription. I am dispensing no more than 4 weeks supply to women of childbearing potential and 12 weeks for males and women of non-childbearing potential.

Sign	Date	D	D	M	M	Y	Y	Y	Y
	Bleep								
Print									

Name and postcode of dispensing pharmacy											
--	--	--	--	--	--	--	--	--	--	--	--

Home delivery information

Name and postcode of Home delivery company used, if applicable.											
---	--	--	--	--	--	--	--	--	--	--	--